

## TABLE OF CONTENTS

|   |   |
|---|---|
| 1. Legend.....  | 2 |
| 2. IE770 business process unavailability C_AVA_DAT..... | 3 |



|   |
|---|
| Excise Functional Requirements BPM Report-CS/MISE |
| ANNEX 5: INFORMATION EXCHANGE                     |
| IE770 business process unavailability C_AVA_DAT   |

## 2. IE770 business process unavailability C\_AVA\_DAT

|                           |  |     |     |  |  |
|---------------------------|--|-----|-----|--|--|
| C_AVA_DAT                 |  |     |     |  |  |
| └ ATTRIBUTES FOR IE770    |  | (R) | 1x  |  |  |
| └ UNAVAILABILITY SCHEDULE |  | (R) | 99x |  |  |
| └ ACTION FOR US           |  | (R) | 9x  |  |  |
| └ SYSTEM UNAVAILABILITY   |  | (R) | 99x |  |  |

|                           |         |     |     |              |      |
|---------------------------|---------|-----|-----|--------------|------|
| C_AVA_DAT                 |         |     |     |              |      |
| └ ATTRIBUTES FOR IE770    |         | (R) | 1x  |              |      |
| └ Message Type            | n1      | (R) |     |              | TC88 |
| └ UNAVAILABILITY SCHEDULE |         | (R) | 99x |              |      |
| └ Member State Code       | a2      | (R) | 1x  |              | BC11 |
| └ ACTION FOR US           |         | (R) | 9x  |              |      |
| └ Operation               | a1      | (R) | 1x  | R086         |      |
| └ SYSTEM UNAVAILABILITY   |         | (R) | 99x |              |      |
| └ Business Process Code   | n..2    | (R) | 1x  |              | TC87 |
| └ Downtime FROM           | n12     | (R) | 1x  | R143         |      |
| └ Type                    | a1      | (R) | 1x  |              | TC89 |
| └ Downtime TO             | n12     | (D) | 1x  | C059<br>R143 |      |
| └ Explanation             | an..350 | (O) | 1x  |              |      |
| └ Explanation_LNG         | a2      | (D) | 1x  | C002         | BC12 |