

```

<?xml version="1.0"?>
<xs:schema attributeFormDefault="qualified" xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="DokBGPv4" nillable="true">
    <xs:complexType>
      <xs:all>
        <xs:element minOccurs="0" maxOccurs="1" name="Precizejums" nillable="true" type="xs:boolean" />
        <xs:element minOccurs="0" maxOccurs="1" name="PrecizejamaisDokuments" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Id" nillable="true" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="NmrKods" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDati">
          <xs:complexType>
            <xs:all>
              <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaDatums" nillable="true" type="xs:date" />
              <xs:element minOccurs="0" maxOccurs="1" name="PakalpojumaKanals" type="xs:string" />
              <xs:element minOccurs="0" maxOccurs="1" name="CitsLietotajs" type="xs:boolean" />
              <xs:element minOccurs="0" maxOccurs="1" name="Parakstitaji">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element minOccurs="0" maxOccurs="unbounded" name="R" nillable="true" type="xs:string" />
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
            </xs:all>
          </xs:complexType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="VardsUzvards" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Pamatojums" type="xs:string" />
      </xs:all>
    </xs:complexType>
  </xs:element>
  <xs:element minOccurs="0" maxOccurs="1" name="IesniegumaFaili">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="unbounded" name="R" nillable="true" type="xs:string" />
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="Komentars" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Fails">
              <xs:complexType>
                <xs:all>
                  <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
                </xs:all>
              </xs:complexType>
            </xs:element>
          </xs:all>
        </xs:complexType>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:schema>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string"
/>
    <xs:element minOccurs="1" maxOccurs="1" name="Saturs"
type="xs:base64Binary" />
        <xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
        </xs:all>
        <xs:attribute name="IsAttachment" type="xs:boolean" />
    </xs:complexType>
    </xs:element>
    </xs:all>
    </xs:complexType>
    </xs:element>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    </xs:all>
    </xs:complexType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="TaksNo" nillable="true"
type="xs:dateTime" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaksLidz" nillable="true"
type="xs:dateTime" />
        <xs:element minOccurs="0" maxOccurs="1" name="Epasts" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Talrunis" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="Sagatavotajs" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="IesniegtsGadaParskats">
            <xs:complexType>
            <xs:all>
                <xs:element minOccurs="0" maxOccurs="1" name="Id" type="xs:string" />
                <xs:element minOccurs="0" maxOccurs="1" name="IesniegsanasDatums" nillable="true"
type="xs:dateTime" />
                    <xs:element minOccurs="0" maxOccurs="1" name="IrEDS" type="xs:boolean" />
                    </xs:all>
            </xs:complexType>
            </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="Darbinieki" nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:int">
                    <xs:pattern value="[-]?\d{0,11}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="Lemums" nillable="true">
            <xs:simpleType>
                <xs:restriction base="xs:int">
                    <xs:pattern value="[-]?\d{0,11}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="LemumaDatums" nillable="true"
type="xs:dateTime" />
        <xs:element minOccurs="0" maxOccurs="1" name="SlegBilance" nillable="true"
type="xs:boolean" />
            <xs:element minOccurs="0" maxOccurs="1" name="DarbibasSfera" nillable="true">
                <xs:simpleType>
                    <xs:restriction base="xs:int">
                        <xs:pattern value="[-]?\d{0,11}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="NoapalosanasPakape" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="IrSadalaNaudasPlusmasParskats"
nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="IrSadalaKapitalaRezervjuIzmainuParskats"
nillable="true" type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="IrSadalaRevidents" nillable="true"
type="xs:boolean" />
<xs:element minOccurs="0" maxOccurs="1" name="BilancesAktivi">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="BBABeigas">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R17">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R17LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R18">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R18LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R19">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R19LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R65">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R67">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R67LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R68">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R68LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R69">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R69LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R97">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R97LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R98">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R98LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R99">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R99LietotajaDefinets"
type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="R100">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d\.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R110">
                <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R127">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R127LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R128">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R128LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R129">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R129LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R136">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R136LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R137">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R138">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R139">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R140">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R147">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R147LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R148">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R148LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R149">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d\.{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R149LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R150">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R161">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R162">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R166">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R166LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R167">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R167LietotajaDefinets"
type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R168">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R168LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R169">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R169LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R175">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R175LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R176">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R176LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R177">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R177LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R178">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R178LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R179">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R179LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R180">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R187">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R187LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R188">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R188LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R189">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R189LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R198">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R207">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R207LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R208">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R208LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R209">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R209LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>

```

```

    </xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BBASakums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R17">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R17LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R18">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R18LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R19">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R19LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R65">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R67">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R67LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R68">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R68LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R69">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R69LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">

```

```

        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R95">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R97">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R97LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R98">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R98LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R99">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R99LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R100">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R127">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R127LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R128">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R128LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R129">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R129LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R130">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R135LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R136">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R136LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R137">
    <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R138">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R139">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R140">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R147">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R147LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R148">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R148LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R149">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R149LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R150">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R161">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R162">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R165LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R166">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R166LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R167">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R167LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R168">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R168LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R169">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R169LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R175">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R175LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R176">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R176LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R177">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R177LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R178">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R178LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R179">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R179LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R180">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R187">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R187LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R188">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R188LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R189">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R189LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R190">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R197">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R198">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R207">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R207LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R208">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R208LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R209">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R209LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BilancesSaistKapRez">

```

```

<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="BBSBeigas">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R27">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R27LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R28">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R28LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R29">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R29LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R38">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R38LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R39">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R39LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R40">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R50">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R60">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R70">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R71">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R77">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R77LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R78">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R78LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R79">
            <xs:simpleType>
                <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R79LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R81">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R82">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R83">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R86">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R87">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R87LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R88">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R88LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R89">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R89LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R90">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R116">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R116LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R117">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R117LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R118">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R118LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R119">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R119LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R120">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R125">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R125LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R126">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R126LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R127">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R127LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R128">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R128LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R129">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R129LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R130">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R131">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R132">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R138">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R139">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R140">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R145">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R145LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R146">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R146LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R147">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R147LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R148">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R148LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R149">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R149LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R198">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R199">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R247">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R247LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R248">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R248LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R249">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R249LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R250">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R255">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R255LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R256">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R256LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R257">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R257LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R258">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R258LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R259">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R259LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R260">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R266">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R266LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R267">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R267LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R268">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R268LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R269">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R270">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BBSSakums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R27">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R27LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R28">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R28LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R29">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R29LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R38">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R38LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R39">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R39LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R71">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R77">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R77LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R78">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R78LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R79">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R79LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R81">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R82">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R83">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R85LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R86">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R86LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R87">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R87LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R88">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R88LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R89">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R89LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R90">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R116">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R116LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R117">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R117LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R118">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R118LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R119">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R119LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R125">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R125LietotajaDefinets"
type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R126">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R126LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R127">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R127LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R128">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R128LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R129">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R129LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R131">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R132">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137">
  <xs:simpleType>
    <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R137LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R138">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R138LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R139">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R139LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R145">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R145LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R146">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R146LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R147">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R147LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R148">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R148LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R149">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R149LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R150">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R197LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R198">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R198LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R199">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>

```

```

    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R199LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R220">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R247">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-]?\d{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R247LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R248">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R248LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R249">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R249LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R250">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R255">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R255LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R256">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R256LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R257">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R257LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R258">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R258LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R259">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R259LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R265LietotajaDefinets"
type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R266">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R266LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R267">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R267LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R268">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R268LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R269">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R269LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R290">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R300">
  <xs:simpleType>
    <xs:restriction base="xs:long">

```

```

        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BilancesArpusPos">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="BABBeigas">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R35">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R35LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R36">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R36LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R37">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R37LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R38">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R38LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R39">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R39LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R65">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R65LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R66">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R66LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R67">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R67LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R68">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R68LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R69">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R69LietotajaDefinets"
type="xs:string" />
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BABSakums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R10">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R35">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R35LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R36">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R36LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R37">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R37LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R38">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R38LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R39">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R39LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R40">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R65">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R65LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R66">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R66LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R67">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R67LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R68">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R68LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R69">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-]?\d{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R69LietotajaDefinets"
type="xs:string" />
        </xs:all>
    </xs:complexType>
    </xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="PelnasZaudejumuAprekins">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="BPZBeigas">
                <xs:complexType>
                    <xs:all>
                        <xs:element minOccurs="0" maxOccurs="1" name="R10">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R171">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R172">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R245">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R245LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BPZSakums">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R10">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R50">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R60">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R70">
                <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R120">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R171">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R172">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R245">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R245LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R250">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?[\d\.]{0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="NaudasPlusmasParskats">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="BNPBeigas">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R20">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R30">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R40">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?[\d\.]{0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R50">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115LietotajaDefinets"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R116">
  <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R116LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R117">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R117LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R118">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R118LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R119">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R119LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R120">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R130">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R140">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R150">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R160">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?\d{0,20}" />
    </xs:restriction>
  </xs:simpleType>

```

```

</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R395">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R395LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R396">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R396LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R397">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R397LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R398">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?[\d.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R398LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R399">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R399LietotajaDefinets"
type="xs:string" />
  <xs:element minOccurs="0" maxOccurs="1" name="R400">
    <xs:simpleType>
      <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
      </xs:restriction>
    </xs:simpleType>
  </xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R490">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R495">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d\.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R495LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R496">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R496LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R497">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R497LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R498">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R498LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R499">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R499LietotajaDefinets"
type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="R500">
        <xs:simpleType>
            <xs:restriction base="xs:long">
                <xs:pattern value="[-+]?[\d\.]{0,20}" />
            </xs:restriction>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R510">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R520">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R530">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R540">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="BNPSakums">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="R20">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R30">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R40">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R50">
<xs:simpleType>
<xs:restriction base="xs:long">

```

```

        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R60">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R70">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R80">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R90">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R100">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R110">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R115LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R116">
<xs:simpleType>
    <xs:restriction base="xs:long">
        <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>

```

```

        </xs:simpleType>
    </xs:element>
    <xs:element minOccurs="0" maxOccurs="1" name="R116LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R117">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R117LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R118">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R118LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R119">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R119LietotajaDefinets"
type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="R120">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R130">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R140">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R150">
            <xs:simpleType>
                <xs:restriction base="xs:long">
                    <xs:pattern value="[-]?\d\.{0,20}" />
                </xs:restriction>
            </xs:simpleType>
        </xs:element>
        <xs:element minOccurs="0" maxOccurs="1" name="R160">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?(\\d\\.){0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R170">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R180">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R190">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R200">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R210">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R220">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R230">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R240">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R250">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R260">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R270">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R280">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R360">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-+]?\d{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R370">
<xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R380">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R390">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R395">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R395LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R396">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R396LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R397">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R397LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R398">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R398LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R399">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R399LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R400">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R420">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R430">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R440">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R450">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R460">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R470">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R480">
<xs:simpleType>
<xs:restriction base="xs:long">
<xs:pattern value="[-]?\d\.{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R490">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R495">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R495LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R496">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R496LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R497">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R497LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R498">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R498LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R499">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R499LietotajaDefinets"
type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="R500">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R510">

```

```

<xs:simpleType>
  <xs:restriction base="xs:long">
    <xs:pattern value="[-+]?(\\d\\.){0,20}" />
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R520">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R530">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R540">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?(\\d\\.){0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="KapitalaRezervjuIzmainuParskats">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="Beigas">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R100">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?(\\d\\.){0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R200">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?(\\d\\.){0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R300">
              <xs:simpleType>
                <xs:restriction base="xs:long">
                  <xs:pattern value="[-+]?(\\d\\.){0,20}" />
                </xs:restriction>
              </xs:simpleType>
            </xs:element>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="R310">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R320">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R330">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R340">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R500">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R600">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R700">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>

```

```

        </xs:restriction>
    </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R800">
    <xs:simpleType>
        <xs:restriction base="xs:long">
            <xs:pattern value="[-+]?[\d.]{0,20}" />
        </xs:restriction>
    </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Sakums">
    <xs:complexType>
        <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="R100">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R200">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R300">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R310">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R320">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R330">
                <xs:simpleType>
                    <xs:restriction base="xs:long">
                        <xs:pattern value="[-+]?[\d.]{0,20}" />
                    </xs:restriction>
                </xs:simpleType>
            </xs:element>
            <xs:element minOccurs="0" maxOccurs="1" name="R340">
                <xs:simpleType>

```

```

<xs:restriction base="xs:long">
  <xs:pattern value="[-+]?[\d\.]{0,20}" />
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R350">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R400">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R500">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R600">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R700">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="R800">
  <xs:simpleType>
    <xs:restriction base="xs:long">
      <xs:pattern value="[-+]?[\d\.]{0,20}" />
    </xs:restriction>
  </xs:simpleType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Revidents">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="RevZinDat" nillable="true"
type="xs:dateTime" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevidentsJp" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="RevJpLicNr" type="xs:string" />

```

```

<xs:element minOccurs="0" maxOccurs="1" name="RevFpSertNr" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="RevKoment" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="ZverinataRevidentaAtzinums">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
      <xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
      <xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
    </xs:all>
    <xs:attribute name="IsAttachment" type="xs:boolean" />
  </xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="CitiDokumenti">
  <xs:complexType>
    <xs:all>
      <xs:element minOccurs="0" maxOccurs="1" name="Pielikums">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
          </xs:all>
          <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="VadibasZinojums">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
          </xs:all>
          <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="PazinojumsParVadibasAtbildibu">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
          </xs:all>
          <xs:attribute name="IsAttachment" type="xs:boolean" />
        </xs:complexType>
      </xs:element>
      <xs:element minOccurs="0" maxOccurs="1" name="SapulcesProtokolaIzraksts">
        <xs:complexType>
          <xs:all>
            <xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
            <xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
            <xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
            <xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
          </xs:all>
        </xs:complexType>
      </xs:element>
    </xs:all>
  </xs:complexType>
</xs:element>

```

```

<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="FinansuParskatsVEZF">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1"
name="RevidentaAtzinumsParIlgtspejasZinojumu">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="Saturs" type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
<xs:element minOccurs="0" maxOccurs="1" name="Citi">
<xs:complexType>
<xs:sequence>
<xs:element minOccurs="0" maxOccurs="unbounded" name="R" nillable="true">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="Apraksts" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Fails">
<xs:complexType>
<xs:all>
<xs:element minOccurs="0" maxOccurs="1" name="UID" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Nosaukums" type="xs:string" />
</xs:all>
<xs:element minOccurs="1" maxOccurs="1" name="Saturs"
type="xs:base64Binary" />
<xs:element minOccurs="0" maxOccurs="1" name="Hash" type="xs:string" />
</xs:all>
<xs:attribute name="IsAttachment" type="xs:boolean" />
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:all>
</xs:complexType>
</xs:element>
</xs:schema>

```


