



EUROPEAN COMMISSION  
DIRECTORATE-GENERAL  
TAXATION AND CUSTOMS UNION  
Trade facilitation, Rules of Origin and International coordination  
**Europe and neighbouring countries**

Brussels, 16.09.2015  
TAXUD/B3/GD

**TAXUD/1205/06 - Add.6 - Final - EN**

Working document

**CUSTOMS CODE COMMITTEE**  
**ORIGIN SECTION**

**Subject: Scope of Decision No 1/2009 of the Joint Committee established under the agreement between the ECSC and Turkey - Update of the list of ECSC products to adapt it to HS 2012.**

Delegations will find enclosed a technical transposition from HS codes 1996 to HS codes 2012 (TARIC Codes 2015) of annex I of the agreement between the European Coal and Steel Community and the Republic of Turkey on trade in products covered by the Treaty establishing the European Coal and Steel Community.

## Annex 1

Technical transposition<sup>1</sup> from HS codes 1996 to HS codes 2012 of annex I of the agreement between the European Coal and Steel Community and the Republic of Turkey on trade in products covered by the Treaty establishing the European Coal and Steel Community.

(Official Journal L 227, 07/09/1996)

HS Code 2012 TARIC Code 2015	Description of goods
<b>2601</b>	Iron ores and concentrates, including roasted iron pyrites
	- Iron ores and concentrates, other than roasted iron pyrites
2601 11 00 00	- - Non-agglomerated
2601 12 00 00	- - Agglomerated
<b>2602 00 00 00</b>	Manganese ores and concentrates, including ferruginous manganese ores and concentrates with a manganese content of 20 % or more, calculated on the dry weight
<b>2619 00</b>	Slag, dross (other than granulated slag), scalings and other waste from the manufacture of iron or steel
2619 00 20 00	- Waste suitable for the recovery of iron or manganese
<b>2701</b>	Coal; briquettes, ovoids and similar solid fuels manufactured from coal
	- Coal, whether or not pulverised, but not agglomerated
2701 11 00 00	- - Anthracite
2701 12	- - Bituminous coal
2701 12 10 00	- - - Coking coal
2701 12 90 00	- - - Other
2701 19 00 00	- - Other coal
2701 20 00 00	- Briquettes, ovoids and similar solid fuels manufactured from coal
<b>2702</b>	Lignite, whether or not agglomerated, excluding jet

---

<sup>1</sup> This technical transposition must not result in any change of the scope of annex I of the agreement between the European Coal and Steel Community and the Republic of Turkey.

2702 10 00 00	- Lignite, whether or not pulverised, but not agglomerated
2702 20 00 00	- Agglomerated lignite
<b>2704 00</b>	Coke and semi-coke of coal, of lignite or of peat, whether or not agglomerated; retort carbon
2704 00 10 00	- Coke and semi-coke of coal
2704 00 30 00	- Coke and semi-coke of lignite
<b>7201</b>	Pig iron and spiegeleisen in pigs, blocks or other primary forms
7201 10	- Non-alloy pig iron containing by weight 0,5 % or less of phosphorus
	- - Containing by weight not less than 0,4 % of manganese
7201 10 11	- - - Containing by weight 1 % or less of silicon
7201 10 11 10	- - - - Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm
7201 10 11 90	- - - - Other
7201 10 19 00	- - - Containing by weight more than 1 % of silicon
7201 10 30	- - Containing by weight not less than 0,1 % but less than 0,4 % of manganese
7201 10 30 10	- - - Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm, containing by weight not more than 1 % of silicon
7201 10 30 90	- - - Other
7201 10 90 00	- - Containing by weight less than 0,1 % of manganese
7201 20 00 00	- Non-alloy pig iron containing by weight more than 0,5 % of phosphorus
7201 50	- Alloy pig iron; spiegeleisen
7201 50 10 00	- - Alloy pig iron containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium
7201 50 90 00	- - Other
<b>7202</b>	Ferro-alloys
	- Ferro-manganese
	- - Containing by weight more than 2 % of carbon

7202 11 20 00	- - - With a granulometry not exceeding 5 mm and a manganese content by weight exceeding 65 %
7202 11 80 00	- - - Other
	- Other than ferro-manganese, ferro-silicon, ferro-silico-manganese, ferro-chromium, ferro-silico-chromium, ferro-nickel, ferro-molybdenum, ferro-tungsten and ferro-silico-tungsten
7202 99	- - Other than ferro-titanium, ferro-silico-titanium, ferro-vanadium and ferro-niobium
7202 99 10 00	- - - Ferro-phosphorus
<b>7203</b>	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms
7203 10 00	- Ferrous products obtained by direct reduction of iron ore
7203 90 00	- Other
<b>7204</b>	Ferrous waste and scrap; remelting scrap ingots of iron or steel
7204 10 00	- Waste and scrap of cast iron
	- Waste and scrap of alloy steel
7204 21	- - Of stainless steel
7204 21 10	- - - Containing by weight 8 % or more of nickel
7204 21 10 10	- - - - Scrap
7204 21 10 90	- - - - Other
7204 21 90	- - - Other
7204 21 90 10	- - - - Scrap
7204 21 90 90	- - - - Other
7204 29	- - Other
7204 29 00 10	- - - - Scrap
7204 29 00 90	- - - - Other
7204 30	- Waste and scrap of tinned iron or steel
7204 30 00 10	- - - - Scrap
7204 30 00 90	- - - - Other

	- Other waste and scrap
7204 41	- - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles
7204 41 10	- - - Turnings, shavings, chips, milling waste, sawdust and filings
7204 41 10 10	- - - - Scrap
7204 41 10 90	- - - - Other
	- - - Trimmings and stampings
7204 41 91	- - - - In bundles
7204 41 91 10	- - - - - Scrap
7204 41 91 90	- - - - - Other
7204 41 99	- - - - Other
7204 41 99 10	- - - - - Scrap
7204 41 99 90	- - - - - Other
7204 49	- - Other
7204 49 10	- - - Fragmentised (shredded)
7204 49 10 10	- - - - Scrap
7204 49 10 90	- - - - Other
	- - - Other
7204 49 30	- - - - In bundles
7204 49 30 10	- - - - - Scrap
7204 49 30 90	- - - - - Other
7204 49 90	- - - - Other
7204 49 90 10	- - - - - Scrap
7204 49 90 90	- - - - - Other
7204 50 00 00	- Remelting scrap ingots
<b>7206</b>	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 7203)
7206 10 00 00	- Ingots

7206 90 00 00	- Other
<b>7207</b>	Semi-finished products of iron or non-alloy steel
	- Containing by weight less than 0,25 % of carbon
7207 11	- - Of rectangular (including square) cross-section, the width measuring less than twice the thickness
	- - - Rolled or obtained by continuous casting
7207 11 11 00	- - - - Of free-cutting steel
	- - - - Other
7207 11 14 00	- - - - - Of a thickness not exceeding 130 mm
7207 11 16 00	- - - - - Of a thickness exceeding 130 mm
7207 12	- - Other, of rectangular (other than square) cross-section
7207 12 10 00	- - - Rolled or obtained by continuous casting
7207 19	- - Other
	- - - Of circular or polygonal cross-section
7207 19 12 00	- - - - Rolled or obtained by continuous casting
7207 19 80	- - - Other
7207 19 80 10	- - - - Blanks for angles, shapes and sections, rolled or obtained by continuous casting
7207 20	- Containing by weight 0,25 % or more of carbon
	- - Of rectangular (including square) cross-section, the width measuring less than twice the thickness
	- - - Rolled or obtained by continuous casting
7207 20 11 00	- - - - Of free-cutting steel
	- - - - Other, containing by weight
7207 20 15 00	- - - - - 0,25 % or more but less than 0,6 % of carbon
7207 20 17 00	- - - - - 0,6 % or more of carbon
	- - Other, of rectangular (other than square) cross-section
7207 20 32 00	- - - Rolled or obtained by continuous casting

	-- Of circular or polygonal cross-section
7207 20 52 00	--- Rolled or obtained by continuous casting
7207 20 80	-- Other
7207 20 80 10	--- Blanks for angles, shapes and sections, rolled or obtained by continuous casting
<b>7208</b>	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated
7208 10 00 00	- In coils, not further worked than hot-rolled, with patterns in relief
	- Other, in coils, not further worked than hot-rolled, pickled
7208 25 00 00	- - Of a thickness of 4,75 mm or more
7208 26 00 00	- - Of a thickness of 3 mm or more but less than 4,75 mm
7208 27 00 00	- - Of a thickness of less than 3 mm
	- Other, in coils, not further worked than hot-rolled
7208 36 00 00	- - Of a thickness exceeding 10 mm
7208 37	- - Of a thickness of 4,75 mm or more but not exceeding 10 m
7208 37 00 10	--- Intended for re-rolling
7208 37 00 90	--- Other
7208 38	- - Of a thickness of 3 mm or more but less than 4,75 mm
7208 38 00 10	--- Intended for re-rolling
7208 38 00 90	--- Other
7208 39	- - Of a thickness of less than 3 mm
7208 39 00 10	--- Intended for re-rolling
7208 39 00 90	--- Other
7208 40	- Not in coils, not further worked than hot-rolled, with patterns in relief
7208 40 00 10	- - Of a thickness of 2 mm or more
7208 40 00 90	- - Of a thickness of less than 2 mm
	- Other, not in coils, not further worked than hot-rolled
7208 51	- - Of a thickness exceeding 10 mm

7208 51 20 00	- - - Of a thickness exceeding 15 mm
	- - - of a thickness exceeding 10 mm but not exceeding 15 mm, of a width of
7208 51 91 00	- - - - 2 050 mm or more
7208 51 98 00	- - - - Less than 2 050 mm
7208 52	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7208 52 10 00	- - - Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm
	- - - Other, of a width of
7208 52 91 00	- - - - 2 050 mm or more
7208 52 99 00	- - - - Less than 2 050 mm
	- - Of a thickness of 3 mm or more but less than 4,75 mm
7208 53 10 00	- - - Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of 4 mm or more
7208 53 90 00	- - - Other
7208 54 00 00	- - Of a thickness of less than 3 mm
7208 90	- Other
7208 90 80	- - Other than perforated
7208 90 80 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
<b>7209</b>	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated
	- In coils, not further worked than cold-rolled (cold-reduced)
7209 15 00 00	- - Of a thickness of 3 mm or more
7209 16	- - Of a thickness exceeding 1 mm but less than 3 mm
7209 16 10 00	- - - 'Electrical'
7209 16 90 00	- - - Other
7209 17	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 17 10 00	- - - 'Electrical'



7209 17 90 00	- - - Other
7209 18	- - Of a thickness of less than 0,5 mm
7209 18 10 00	- - - 'Electrical'
	- - - Other
7209 18 91 00	- - - - Of a thickness of 0,35 mm or more but less than 0,5 mm
7209 18 99 00	- - - - Of a thickness of less than 0,35 mm
	- Not in coils, not further worked than cold-rolled (cold-reduced)
7209 25 00 00	- - Of a thickness of 3 mm or more
7209 26	- - Of a thickness exceeding 1 mm but less than 3 mm
7209 26 10 00	- - - 'Electrical'
7209 26 90 00	- - - Other
7209 27	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 27 10 00	- - - 'Electrical'
7209 27 90 00	- - - Other
7209 28	- - Of a thickness of less than 0,5 mm
7209 28 10 00	- - - 'Electrical'
7209 28 90 00	- - - Other
7209 90	- Other
7209 90 80	- - Other than perforated
7209 90 80 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
<b>7210</b>	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated
	- Plated or coated with tin
7210 11	- - Of a thickness of 0,5 mm or more
7210 11 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12	- - Of a thickness of less than 0,5 mm

7210 12 20	- - - Tinplate
7210 12 20 10	- - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12 80	- - - Other
7210 12 80 10	- - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 20	- Plated or coated with lead, including terne-plate
7210 20 00 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 30	- Electrolytically plated or coated with zinc
7210 30 00 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	- Otherwise plated or coated with zinc
7210 41	- - Corrugated
7210 41 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 49	- - Other
7210 49 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 50	- Plated or coated with chromium oxides or with chromium and chromium oxides
7210 50 00 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	- Plated or coated with aluminium
7210 61	- - Plated or coated with aluminium-zinc alloys
7210 61 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 69	- - Other
7210 69 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 70	- Painted, varnished or coated with plastics
7210 70 10	- - Tinplate, varnished; products, plated or coated with chromium oxides

	or with chromium and chromium oxides, varnished
7210 70 10 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 70 80	-- Other
7210 70 80 11	- - - - Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
7210 70 80 19	- - - - Other
7210 90	- Other
7210 90 30	-- Clad
7210 90 30 10	- - - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
7210 90 40	-- Tinned and printed
7210 90 40 10	- - - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
7210 90 80	-- Other
	--- Other [than silvered, gilded, platinum-plated or enameled]
7210 90 80 91	- - - - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
<b>7211</b>	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated
	- Not further worked than hot-rolled
7211 13 00 00	- - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
7211 14	-- Other, of a thickness of 4,75 mm or more
7211 14 00 10	- - - Of a width exceeding 500 mm
7211 14 00 90	- - - Of a width not exceeding 500 mm
7211 19	-- Other
7211 19 00 10	- - - Of a width exceeding 500 mm

7211 19 00 90	- - - Of a width not exceeding 500 mm
	- Not further worked than cold-rolled (cold-reduced)
7211 23	-- Containing by weight less than 0,25 % of carbon
7211 23 20	--- 'Electrical'
7211 23 20 10	---- Of a width exceeding 500 mm
	--- Other
7211 23 30	---- Of a thickness of 0,35 mm or more
7211 23 30 10	----- Of a width exceeding 500 mm
	----- Of a width not exceeding 500 mm
7211 23 30 91	- - - - - In coils intended for the manufacture of tinplate
7211 23 80	---- Of a thickness of less than 0,35 mm
7211 23 80 10	----- Of a width exceeding 500 mm
	----- Of a width not exceeding 500 mm
7211 23 80 91	----- In coils intended for the manufacture of tinplate
7211 29	-- Other
7211 29 00 10	--- Of a width exceeding 500 mm
7211 90	- Other
7211 90 80	- - Other [than perforated]
	--- Of a width exceeding 500 mm
7211 90 80 10	---- Not further worked than surface-treated
<b>7212</b>	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated
7212 10	- Plated or coated with tin
7212 10 10 00	- - Tinplate, not further worked than surface-treated
7212 10 90	- - Other
	--- Of a width exceeding 500 mm
7212 10 90 11	---- Not further worked than surface-treated

7212 20	- Electrolytically plated or coated with zinc
	- - Of a width exceeding 500 mm
7212 20 00 11	- - - Not further worked than surface-treated
7212 30	- Otherwise plated or coated with zinc
	- - Of a width exceeding 500 mm
7212 30 00 11	- - - Not further worked than surface-treated
7212 40	- Painted, varnished or coated with plastics
7212 40 20	- - Tinplate, not further worked than varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished
7212 40 20 10	- - - Tinplate, not further worked than varnished
	- - - Other
	- - - - Of a width exceeding 500 mm
7212 40 20 91	- - - - - Not further worked than surface-treated
7212 40 80	- - Other
	- - - Of a width exceeding 500 mm
	- - - - Not further worked than surface-treated
7212 40 80 01	- - - - - Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
7212 40 80 09	- - - - - Other
7212 50	- Otherwise plated or coated
7212 50 20	- - Plated or coated with chromium oxides or with chromium and chromium oxides
	- - - Of a width exceeding 500 mm
7212 50 20 11	- - - - Not further worked than surface-treated
7212 50 30	- - Plated or coated with chromium or nickel
	- - - Of a width exceeding 500 mm

7212 50 30 11	- - - - Not further worked than surface-treated
7212 50 40	- - Plated or coated with copper
	- - - Of a width exceeding 500 mm
7212 50 40 11	- - - - Not further worked than surface-treated
	- - Plated or coated with aluminium
7212 50 61	- - - Plated or coated with aluminium-zinc alloys
	- - - - Of a width exceeding 500 mm
7212 50 61 11	- - - - - Not further worked than surface-treated
7212 50 69	- - - Other
	- - - - Of a width exceeding 500 mm
7212 50 69 11	- - - - - Not further worked than surface-treated
7212 50 90	- - Other
	- - - Of a width exceeding 500 mm
	- - - - Other [than silvered, gilded, platinum-plated or enamelled]
7212 50 90 13	- - - - - Not further worked than surface-treated
7212 60	- Clad
	- - Of a width exceeding 500 mm
7212 60 00 11	- - - Not further worked than surface-treated
	- - Of a width not exceeding 500 mm
	- - - Not further worked than surface-treated
7212 60 00 91	- - - - Hot-rolled, not further worked than clad
<b>7213</b>	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel
7213 10 00 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process
7213 20 00 00	- Other, of free-cutting steel
	- Other
7213 91	- - Of circular cross-section measuring less than 14 mm in diameter

7213 91 10 00	- - - Of a type used for concrete reinforcement
7213 91 20 00	- - - Of a type used for tyre cord
	- - - Other
7213 91 41 00	- - - - Containing by weight 0,06 % or less of carbon
7213 91 49 00	- - - - Containing by weight more than 0,06 % but less than 0,25 % of carbon
7213 91 70 00	- - - - Containing by weight 0,25 % or more but not more than 0,75 % of carbon
7213 91 90 00	- - - - Containing by weight more than 0,75 % of carbon
7213 99	- - Other
7213 99 10 00	- - - Containing by weight less than 0,25 % of carbon
7213 99 90 00	- - - Containing by weight 0,25 % or more of carbon
<b>7214</b>	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling
7214 20 00 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
7214 30 00 00	- Other, of free-cutting steel
	- Other
7214 91	- - Of rectangular (other than square) cross-section
7214 91 10 00	- - - Containing by weight less than 0,25 % of carbon
7214 91 90 00	- - - Containing by weight 0,25 % or more of carbon
7214 99	- - Other
	- - - Containing by weight less than 0,25 % of carbon
7214 99 10 00	- - - - Of a type used for concrete reinforcement
	- - - - Other, of circular cross-section measuring in diameter
7214 99 31 00	- - - - - 80 mm or more
7214 99 39 00	- - - - - Less than 80 mm
7214 99 50 00	- - - - Other

	- - - Containing by weight 0,25 % or more of carbon
	- - - - Of a circular cross-section measuring in diameter
7214 99 71 00	- - - - - 80 mm or more
7214 99 79 00	- - - - - Less than 80 mm
7214 99 95 00	- - - - Other
<b>7215</b>	Other bars and rods of iron or non-alloy steel
7215 90	- Other [than of free-cutting steel, not further worked than cold-formed or cold-finished; other than not further worked than cold formed or cold-finished]
7215 90 00 10	- - Hot-rolled, hot-drawn or extruded, not further worked than clad
<b>7216</b>	Angles, shapes and sections of iron or non-alloy steel
7216 10 00 00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
7216 21 00 00	- - L sections
7216 22 00 00	- - T sections
	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 31	- - U sections
7216 31 10 00	- - - Of a height of 80 mm or more but not exceeding 220 mm
7216 31 90 00	- - - Of a height exceeding 220 mm
7216 32	- - I sections
	- - - Of a height of 80 mm or more but not exceeding 220 mm
7216 32 11 00	- - - - With parallel flange faces
7216 32 19 00	- - - - Other
	- - - Of a height exceeding 220 mm
7216 32 91 00	- - - - With parallel flange faces
7216 32 99 00	- - - - Other



7216 33	- - H sections
7216 33 10 00	- - - Of a height of 80 mm or more but not exceeding 180 mm
7216 33 90 00	- - - Of a height exceeding 180 mm
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 40 10 00	- - L sections
7216 40 90 00	- - T sections
7216 50	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded
7216 50 10 00	- - With a cross-section which is capable of being enclosed in a square the side of which is 80 mm
	- - Other
7216 50 91 00	- - - Bulb flats
7216 50 99 00	- - - Other
	- Other
	- - Other [than cold-formed or cold-finished from flat-rolled products]
7216 99 00 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
<b>7218</b>	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel
7218 10 00 00	- Ingots and other primary forms
	- Other
7218 91	- - Of rectangular (other than square) cross-section
7218 91 10 00	- - - Containing by weight 2,5 % or more of nickel
7218 91 80 00	- - - Containing by weight less than 2,5 % of nickel
7218 99	- - Other
	- - - Of square cross-section
7218 99 11 00	- - - - Rolled or obtained by continuous casting
	- - - Other
7218 99 20 00	- - - - Rolled or obtained by continuous casting

<b>7219</b>	Flat-rolled products of stainless steel, of a width of 600 mm or more
	- Not further worked than hot-rolled, in coils
7219 11 00 00	- - Of a thickness exceeding 10 mm
7219 12	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7219 12 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 12 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 13	- - Of a thickness of 3 mm or more but less than 4,75 mm
7219 13 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 13 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 14	- - Of a thickness of less than 3 mm
7219 14 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 14 90 00	- - - Containing by weight less than 2,5 % of nickel
	- Not further worked than hot-rolled, not in coils
7219 21	- - Of a thickness exceeding 10 mm
7219 21 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 21 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 22	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7219 22 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 22 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 23 00 00	- - Of a thickness of 3 mm or more but less than 4,75 mm
7219 24 00 00	- - Of a thickness of less than 3 mm
	- Not further worked than cold-rolled (cold-reduced)
7219 31 00 00	- - Of a thickness of 4,75 mm or more
7219 32	- - Of a thickness of 3 mm or more but less than 4,75 mm
7219 32 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 32 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 33	- - Of a thickness exceeding 1 mm but less than 3 mm

7219 33 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 33 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 34	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7219 34 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 34 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 35	- - Of a thickness of less than 0,5 mm
7219 35 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 35 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 90	- Other
7219 90 80 00	- - Other [than perforated]
<b>7220</b>	Flat-rolled products of stainless steel, of a width of less than 600 mm
	- Not further worked than hot-rolled
7220 11 00 00	- - Of a thickness of 4,75 mm or more
7220 12 00 00	- - Of a thickness of less than 4,75 mm
7220 20	- Not further worked than cold-rolled (cold-reduced)
	- - Of a thickness of 3 mm or more, containing by weight
7220 20 21 00	- - - 2,5 % or more of nickel
7220 20 29 00	- - - Less than 2,5 % of nickel
	- - Of a thickness exceeding 0,35 mm but of less than 3 mm, containing by weight
7220 20 41 00	- - - 2,5 % or more of nickel
7220 20 49 00	- - - Less than 2,5 % of nickel
	- - Of a thickness not exceeding 0,35 mm, containing by weight
7220 20 81 00	- - - 2,5 % or more of nickel
7220 20 89 00	- - - Less than 2,5 % of nickel
7220 90	- Other
7220 90 80 00	- - Other [than perforated]

<b>7221</b>	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel
7221 00 10 00	- Containing by weight 2,5 % or more of nickel
7221 00 90 00	- Containing by weight less than 2,5 % of nickel
<b>7222</b>	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel
	- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded
7222 11	- - Of circular cross-section
	- - - Of a diameter of 80 mm or more, containing by weight
7222 11 11 00	- - - - 2,5 % or more of nickel
7222 11 19 00	- - - - Less than 2,5 % of nickel
	- - - Of a diameter of less than 80 mm, containing by weight
7222 11 81 00	- - - - 2,5 % or more of nickel
7222 11 89 00	- - - - Less than 2,5 % of nickel
7222 19	- - Other
7222 19 10 00	- - - Containing by weight 2,5 % or more of nickel
7222 19 90 00	- - - Containing by weight less than 2,5 % of nickel
7222 30	- Other bars and rods [other than not further worked than cold-formed or cold-finished and other than not further worked than hot-rolled, hot-drawn or extruded]
7222 30 97	- - Other [than forged]
7222 30 97 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7222 40	- Angles, shapes and sections
7222 40 10 00	- - Not further worked than hot-rolled, hot-drawn or extruded
7222 40 90	- - Other [than not further worked than hot-rolled, hot-drawn or extruded; other than not further worked than cold-formed or cold-finished]
7222 40 90 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
<b>7224</b>	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel

7224 10	- Ingots and other primary forms
7224 10 10 00	- - Of tool steel
7224 10 90 00	- - Other
7224 90	- Other
7224 90 02	- - Of tool steel
7224 90 02 29	- - - Of rectangular (including square) cross-section
	- - - Other
7224 90 02 89	- - - - Hot-rolled or obtained by continuous casting
	- - Other
	- - - Of rectangular (including square) cross-section
	- - - - Hot-rolled or obtained by continuous casting
	- - - - - The width measuring less than twice the thickness
7224 90 03 00	- - - - - Of high-speed steel
7224 90 05 00	- - - - - Containing by weight not more than 0,7 % of carbon, 0,5 % or more but not more than 1,2 % of manganese and 0,6 % or more but not more than 2,3 % of silicon; containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter
7224 90 07 00	- - - - - Other
7224 90 14 00	- - - - - Other
	- - - Other
	- - - - Hot-rolled or obtained by continuous casting
7224 90 31 00	- - - - - Containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
7224 90 38 00	- - - - - Other
<b>7225</b>	Flat-rolled products of other alloy steel, of a width of 600 mm or more
	- Of silicon-electrical steel
7225 11 00	- - Grain-oriented
7225 11 00 10	- - - of a thickness exceeding 0.16 mm

7225 11 00 90	- - - other
7225 19	- - Other
7225 19 10 00	- - - Hot-rolled
7225 19 90 00	- - - Cold-rolled
7225 30	- Other, not further worked than hot-rolled, in coils
7225 30 10 00	- - Of tool steel
	- - Of high-speed steel
7225 30 30 10	- - - Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 30 90 00	- - Other
7225 40	- Other, not further worked than hot-rolled, not in coils
7225 40 12	- - Of tool steel
7225 40 12 30	- - - Of a thickness of 4,75 mm or more
7225 40 12 90	- - - Of a thickness less than 4,75 mm
7225 40 15	- - Of high-speed steel
7225 40 15 10	- - - Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
	- - Other
7225 40 40 00	- - - Of a thickness exceeding 10 mm
7225 40 60 00	- - - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7225 40 90 00	- - - Of a thickness of less than 4,75 mm
7225 50	- Other, not further worked than cold-rolled (cold-reduced)
7225 50 20	- - Of high-speed steel
7225 50 20 10	- - - Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 50 80 00	- - Other than of high-speed steel
	- Other

7225 91	-- Electrolytically plated or coated with zinc
7225 91 00 10	- - - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 92	-- Otherwise plated or coated with zinc
7225 92 00 10	- - - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 99	-- Other
	- - - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 99 00 11	- - - - Painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
7225 99 00 19	- - - - Other
<b>7226</b>	Flat-rolled products of other alloy steel, of a width of less than 600 mm
	- Of silicon-electrical steel
7226 11	-- Grain-oriented
	- - - Of a width exceeding 500 mm
7226 11 00 11	- - - - Of a thickness exceeding 0,16 mm
7226 11 00 19	- - - - Other
7226 19	-- Other
7226 19 10 00	- - - Not further worked than hot-rolled
7226 19 80	- - - Other
7226 19 80 10	- - - - Of a width exceeding 500 mm
7226 20	- Of high-speed steel
7226 20 00 10	- - Not further worked than hot-rolled; of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than cold-rolled (cold-reduced) or not further worked than surface-treated, including cladding
	- Other
7226 91	-- Not further worked than hot-rolled

7226 91 20 00	- - - Of tool steel
	- - - Other
7226 91 91 00	- - - - Of a thickness of 4,75 mm or more
7226 91 99 00	- - - - Of a thickness of less than 4,75 mm
7226 92	- - Not further worked than cold-rolled (cold-reduced)
7226 92 00 10	- - - Of a width exceeding 500 mm
	- - Other
7226 99 10 00	- - - Electrolytically plated or coated with zinc
7226 99 30 00	- - - Otherwise plated or coated with zinc
	- - - Other
	- - - - Of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than surface-treated, including cladding
7226 99 70 11	- - - - - Painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
7226 99 70 19	- - - - - Other
<b>7227</b>	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel
7227 10 00 00	- Of high-speed steel
7227 20 00 00	- Of silico-manganese steel
7227 90	- Other
7227 90 10 00	- - Containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter
7227 90 50 00	- - Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
7227 90 95 00	- - Other
<b>7228</b>	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel
7228 10	- Bars and rods, of high-speed steel



7228 10 20 00	- - Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad
7228 20	- Bars and rods, of silico-manganese steel
7228 20 10	- - Of rectangular (other than square) cross-section, hot-rolled on four faces
7228 20 10 10	- - - Not further worked than hot-rolled, hot-drawn or extruded
	- - - Other
7228 20 10 91	- - - - Hot-rolled, hot-drawn or extruded, not further worked than clad
	- - Other
7228 20 91 00	- - - Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad
7228 30	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded
7228 30 20 00	- - Of tool steel
	- - Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
7228 30 41 00	- - - Of circular cross-section of a diameter of 80 mm or more
7228 30 49 00	- - - Other
	- - Other
	- - - Of circular cross-section, of a diameter of
7228 30 61 00	- - - - 80 mm or more
7228 30 69 00	- - - - Less than 80 mm
7228 30 70 00	- - - Of rectangular (other than square) cross-section, hot-rolled on four faces
7228 30 89 00	- - - Other
7228 60	- Other bars and rods [than not further worked than forged; other than not further worked than cold-formed or cold-finished]
7228 60 20	- - Of tool steel
7228 60 20 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 60 80	- - Other

7228 60 80 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 70	- Angles, shapes and sections
7228 70 10 00	- - Not further worked than hot-rolled, hot-drawn or extruded
	- - Other
7228 70 90 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 80 00 00	- Hollow drill bars and rods
<b>7301</b>	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel
7301 10 00 00	- Sheet piling
<b>7302</b>	Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for jointing or fixing rails
7302 10	- Rails
	- - Other [than current-conducting, with parts of non-ferrous metal]
	- - - New
	- - - - Vignole rails
7302 10 22 00	- - - - - Of a weight per metre of 36 kg or more
7302 10 28 00	- - - - - Of a weight per metre of less than 36 kg
7302 10 40 00	- - - - Grooved rails
7302 10 50 00	- - - - Other
7302 10 90 00	- - - Used
7302 40 00 00	- Fish-plates and sole plates
7302 90 00 00	- Other